Exhibit 14



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

New England Region Five Post Office Square -- Suite 100 Boston, Massachusetts 02109-3912

November 18, 2022

Cristóbal Bonifaz, Esq.
Attorney for the Town of Lee Board of Health
Law Office of Cristóbal Bonifaz
180 Maple Street
Conway, Massachusetts 01341

Re:

GE-Pittsfield/Housatonic River Site/Rest of River Adjudicatory Hearing of the Town of Lee Board of Health

Dear Attorney Bonifaz:

This letter responds to the letter dated November 9, 2022 (the "Letter") that the Town of Lee Agricultural Commission (the "Commission") sent to the Town of Lee Board of Health ("BOH") regarding the Upland Disposal Facility ("UDF") to be constructed near Woods Pond to facilitate the cleanup of the Housatonic River. At the Commission's request, EPA gave the Commission a tour of the UDF on October 4. The Letter states that the Commission asked certain questions of EPA that were not answered. Even though EPA has already responded to these questions, a response to these questions is noted below.

1. Details regarding of Dewatering

The sediment and floodplain soil that will be disposed of at the UDF will need to be dewatered. This may be at the point of generation, adjacent to the UDF, or within the UDF itself. The method for the treatment/disposition of the collected water may vary and has not yet been determined. Specifics regarding dewatering is a design detail that it not yet final. GE will be providing details on dewatering in subsequent design documents, such as design documents for each area of remediation and the final design for the UDF.

2. Need for Wetland Permits

The Commission wondered how EPA could obtain a wetland permit without providing certain information. Under the Superfund law, EPA is not required to apply for or obtain

Cristóbal Bonifaz, Esq. Page 2 of 2

permits but complies with the substance of environmental regulations. For more information see the attached letter to the Town of Lee Conservation Commission, dated May 9, 2022.

3. An Alleged Change in EPA's Position on the Suitability of the UDF

The Commission asked why EPA changed its mind on the suitability of the UDF when it previously determined that the UDF area was not suitable in 2016. As described in our prior letters to the BOH, EPA refers the BOH to the Administrative Record for the 2020 Cleanup Permit, in particular EPA's 2020 Response to Comments, and Section III.B of EPA's Response Brief that it filed with EPA's Environmental Appeals Board in 2021.

4. Water Table Elevations

The Commission asked about the elevation of the water table. Preliminary groundwater elevation data can be found in Table 15-8 of GE's recent October 2022 Monthly Report available on the EPA web site and at following October 2022 Monthly Report or at https://semspub.epa.gov/work/01/668972.pdf. This data has not been fully evaluated and is preliminary.

Although we do not address the Commission's characterization of the tour of the UDF, we strongly disagree with it.

We remain committed to coordinating with all of the municipalities during the planning and implementation of the River cleanup. Please let me know if you have any further questions.

Sincerely,

JOHN KILBORN RILBORN Date: 2022.11.78 11:00:48 -05'00'

John Kilborn
Senior Enforcement Counsel
Office of Regional Counsel

Cc: Bryan Olson, EPA
Dean Tagliaferro, EPA
Rich Fisher, EPA
Chris Ferry, Superfund Records Center



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1 FIVE POST OFFICE SQUARE, SUITE 100 BOSTON, MA 02109-3912

Via Email: concom@town.lee.ma.us

May 9, 2022

Kathy Arment, Chair Town of Lee Conservation Commission 32 Main Street Lee, Massachusetts 02138

Re:

GE-Pittsfield/Housatonic River Site/Request for Determination of Applicability Land by Woodlawn and Willow Hill Roads

Dear Ms. Arment:

We are writing to you as Chair of the Conservation Commission of the Town of Lee. It has come to our attention that the Commission has received a Request for Determination of Applicability for a parcel of land located by Woodlawn and Willow Hill Roads, shown as Lot 4D on Assessor's Map 2. A copy of this request is attached. The General Electric Company owns this property, which is the location of an Upland Disposal Facility ("UDF") to be constructed as part of the Rest of River cleanup for GE-Pittsfield/Housatonic River Site (the "Site"). The UDF will receive and safely store sediments and soils from the cleanup of the Housatonic River.

Please be aware that the remediation of the Site is being conducted pursuant to the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), also known as the federal Superfund law. Pursuant to CERCLA and its implementing regulations (the National Contingency Plan), no federal, state, or local permit is required for any portion of a response action conducted entirely on-site, where such response action is selected and carried out in accordance with CERCLA. See Section 121(e) of CERCLA and 40 C.F.R. Section 300.400(e). The Rest of River cleanup, including the Upland Disposal Facility, is being conducted entirely on-site as defined under CERCLA and the NCP. Thus, neither GE nor EPA are required to apply for or obtain approval from the Conservation Commission or obtain a permit or Order of Conditions under the Massachusetts Wetlands Protection Act.

Although EPA is not required to obtain permits for on-site response actions, under CERCLA EPA is required to meet the substantive provisions of permitting regulations that EPA determines are applicable or relevant and appropriate requirements, known as ARARs. EPA has determined that the Massachusetts Wetlands Protection Act ("WPA") and its regulations are an "ARAR" for the Rest of River. Accordingly, any part of the cleanup that removes, dredges, fills, or alters

banks, riverfront areas, wetlands, and other areas must be conducted in accordance with the substantive requirements of the WPA and its regulations. See Attachment C, Page C-9, to GE's December 2020 Cleanup Permit. Likewise, the Rest of River cleanup must also comply with the substantive provisions of the Massachusetts Clean Water Act Water Quality Certification Regulations. See Attachment C, Page C-7, to GE's December 2020 Cleanup Permit. The 2020 Cleanup Permit can be found at semspub.epa.gov/src/collection/01/SC39714. (Search for Document ID 593921.)

Under the December 2020 Cleanup Permit that EPA issued to GE, GE is required to perform investigations necessary for designing the UDF, including a baseline habitat assessment. GE submitted a Work Plan for these investigations and assessments that EPA approved with certain conditions. See GE's *Pre-Design Investigation Work Plan for Upland Disposal Facility*, dated November 2021 (Section 5.2.1 in particular), as conditionally approved by an EPA letter dated February 25, 2022. Thus, for Lot D, GE is required to delineate areas subject to jurisdiction under the WPA, such as wetlands (including vernal pools) and flooded areas. EPA has confirmed with GE that GE is conducting field surveys to assess the presence, limits, and characteristics of all potential WPA jurisdictional resource areas at the UDF. GE is also required to perform habitat, threatened or endangered species, and invasive species evaluations, including document reviews and field surveys. GE has already begun to perform such delineations and evaluations and will be submitting a report by in approximately seven months. Please be aware that EPA and its contractor are actively overseeing GE's work in this regard, including being present during GE's field surveys.

EPA has closely consulted with the Town Administrator of the Town of Lee and with MassDEP, who reviews and comments on GE's submissions, and will continue to do so.

Please let me know if you would like to discuss this matter or if you have any further questions.

Sincerely,

RICHARD FISHER Digitally signed by RICHARD
A FISHER
Date: 2022,05.09 16:02:23

Richard Fisher

Remedial Project Manager

EPA New England

Enclosure

Cc:

Patricia Carlino, Chair, Town of Lee Selectboard R. Christopher Brittain, Town Administrator, Town of Lee

Dean Tagliaferro, EPA John Kilborn, EPA Matt Calacone, GE

10 Citizens of Lee Request a Request of Determination For General Electric Company Land Fill

4-27-2022 Map 2 Lot 4D Woodland & Willow Hill Rd

We the undersigned are submitting a Request for Determination Application for the above referenced site. We are requesting the Lee Conservation Commission to hold a Public Hearing at within 21 days of receipt of this request. We ask that the Commission require General Electric Company to identify resources Protected under the Massachusetts Wetland Protection Act under 310 CMR 10.00. Please include wetland resources and habitat that have been recently impacted or altered. Refer to Mass Mapper Aerial Photographs.

We request the Lee Conservation Commission require GE to provide a plan clearly showing resource boundaries, with benchmarks and survey points. and to require GE to a Notice of Intent should the Landfill proposed be near or in these resources.

- 1. Plans clearly showing jurisdictional resources and buffer zones regulated under 310 CMR 10.00 and their boundaries (including but not limited to), and how the regulations performance standards will be met for the Land Fill Project Proposed by EPA & GE:
 - a. 10: 54 Bank.

1

- b. 10:55 Bordering Vegetated Wetlands (BVW).
- c. 10.56: Land under Water Bodies and Waterways, (LUW), (under any Creek, River, Stream, Pond or Lake).
- d. 10: 57 Land Subject to Flooding, {Isolated, and Bordering.(Flood plain)}.
- e. 10:58 Riverfront (RF).
- f. 10.59: Estimated Habitats of Rare Wildlife (for Inland Wetlands).
- g. 10:60 Wildlife Habitat Evaluation.

1	Signature	Address or email	Date
2	Dail & Ceresia	GECTRESIA Ogmail . com	4-27-202
3	Jana Bian	Slow - Mochromer. Com	4-27-202
4	Ohan Catalan	Sonley 1313 God Hammelow	4-27-2:22
5	Jan 2006gras	111 WOODINDRI	4/27/2
6	Dicke Kennel	183 Wichington Mt Rd	1/27/22
7	Nacce Kesusiak	183 Washington NHn. Rd.	427/22
3	Can Feeler	190 G 201 57	4 2723
9	Shirt a Maria	189 Reserven Rd Lee Mc	4/17/22
0	Ellan 4. Sand	181 Bully St	4/27/22
1	- Juggle	220 East St. Lee, MA	4/27/22
12			

Attachments :	Maps	&	Photograph	15
ATT			Aler	

CC,

Hand Delivered to Lee Conservation Commission. Certified Mail to Owner.



Lee City/Town

WPA Form 1- Request for Determination of Applicability Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

	A	. General Information		
important: When filling out	1.	Applicant:		
forms on the		Cell Council d add as the		
computer, use		Gail Ceresia 1 of (10 Citizens of Lee)	geceresia@gm	iail.com
only the tab key			E-Mail Address	
to move your		161 West Park St		
cursor - do not use the return		Mailing Address		
key.		Lee	MA	01238
110)		City/Town	State	Zip Code
		413-237-Led5577		
		Phone Number	Fax Number (if appl	icable)
	2.	Representative (if any):		•
		Firm	The state of the s	
		Contact Name	E-Mail Address	
		Mailing Address		
		City/Town	State	71.0
		El Consegles	-State	Zip Code
		Phone Number	Fax Number (if appli	a milalini
			ter tentines for abbit	(able)
	B.	Determinations	~	
	1.	request the Lee make the following de	etermination(s). Ct	neck any that annivi
		Conservation Commission		their mith street obbits
		a. whether the area depicted on plan(s) and/or map(s) refer jurisdiction of the Wetlands Protection Act.	enced below is an	area subject to
		b. whether the boundaries of resource area(s) depicted on below are accurately defineated.	plan(s) and/or ma	p(s) referenced
		C. whether the work depicted on plan(s) referenced below is	subject to the Wetl	ands Protection Act.
		d. whether the area and/or work depicted on plan(s) referent of any municipal wetlands ordinance or bylaw of:	ced below is subje	ct to the jurisdiction
		Name of Municipality		
		e. whether the following scope of alternatives is adequate depicted on referenced plan(s).	for work in the Riv	erfront Area as



	-	
Lee		
City/T	Diwn	

WPA Form 1- Request for Determination of Applicability Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

escri	111	An -
Ì	escri	escripti

West of Woodland Rd & area north of Willow Hill Rd Street Address	he location of the area subject to this reque Lee City/Town			
Map 2				
Assessors Map/Plat Number	4D Parcel/Lat Number	nka.		
b. Area Description (use additional paper, if necessar				
Area west of Woodland Road and north of Lot 5 consists of a Massachusetts Bordering Vegetated Wetland. The 10 Citizens would like the area to be delineated by GE personal and Habitat to be evaluated. Applicant would like records of Environmental Consultants who review this portion of the property.				
O Disconstitution Dec	The second secon			
c. Plan and/or Map Reference(s):				
USGS Topographical Map	4-20-	2022		
DEP Juridictional Resources and ACEC	Date	Date 4-20-2022		
DEFOUNDING RESOURCES and ACEC.				
Title		2466		
Tale	Date			
Map and Lot Parcel Title	Date 4-20-			
Map and Lot Parcel Title	Date 4-20- Date	2022		
Map and Lot Parcel Title a. Work Description (use additional paper and/or provi	Date 4-20- Date de plan(s) of work, if necessary	2022		
Map and Lot Parcel Title	Date 4-20- Date de plan(s) of work, if necessary nt of Massachusetts Jurisdiction	2022): nai Wetiai		
Map and Lot Parcel Title a. Work Description (use additional paper and/or provi Proposed PCB Dump and Dewatering area is up-gradie area plus near an area that was recently plants.	Date 4-20- Date de plan(s) of work, if necessary nt of Massachusetts Jurisdiction	2022): nal Wetlar		
Map and Lot Parcel Title a. Work Description (use additional paper and/or provi Proposed PCB Dump and Dewatering area is up-gradie area plus near an area that was recently plants.	Date 4-20- Date de plan(s) of work, if necessary nt of Massachusetts Jurisdiction	2022): nai Wetlar		
Map and Lot Parcel Title a. Work Description (use additional paper and/or provi Proposed PCB Dump and Dewatering area is up-gradie area plus near an area that was recently plants.	Date 4-20- Date de plan(s) of work, if necessary nt of Massachusetts Jurisdiction	2022): nai Wetlar		
Map and Lot Parcel Title a. Work Description (use additional paper and/or provi Proposed PCB Dump and Dewatering area is up-gradie area plus near an area that was recently plants.	Date 4-20- Date de plan(s) of work, if necessary nt of Massachusetts Jurisdiction	2022): nai Wetlar		
Map and Lot Parcel Title a. Work Description (use additional paper and/or provi Proposed PCB Dump and Dewatering area is up-gradie area plus near an area that was recently plants.	Date 4-20- Date de plan(s) of work, if necessary nt of Massachusetts Jurisdiction	2022): nai Wetlar		
Map and Lot Parcel Title a. Work Description (use additional paper and/or provi Proposed PCB Dump and Dewatering area is up-gradie area plus near an area that was recently plants.	Date 4-20- Date de plan(s) of work, if necessary nt of Massachusetts Jurisdiction	2022): nai Wetlar		
Map and Lot Parcel Title a. Work Description (use additional paper and/or provi Proposed PCB Dump and Dewatering area is up-gradie area plus near an area that was recently plants.	Date 4-20- Date de plan(s) of work, if necessary nt of Massachusetts Jurisdiction	2022): nai Wetlar		
Map and Lot Parcel Title a. Work Description (use additional paper and/or provi Proposed PCB Dump and Dewatering area is up-gradie area plus near an area that was recently plus rear an area that was recently plus recently plu	Date 4-20- Date de plan(s) of work, if necessary nt of Massachusetts Jurisdiction	2022): nai Wetia		



Lee City/Town

WPA Form 1- Request for Determination of Applicability
Massachusetts Wetlands Protesting Ast M. C. L. and C. and C. L. and C.

C.	Project Description (cont.)					
	 Identify provisions of the Wetlands Protection Act or regulations which may exempt the applican rom having to file a Notice of Intent for all or part of the described work (use additional paper, if ecessary). 					
:0-						
3. a	a. If this application is a Request for Determination of Scope of Alternatives for work in the Riverfront Area, indicate the one classification below that best describes the project.					
[Single family house on a lot recorded on or before 8/1/96					
[Single family house on a lot recorded after 8/1/96					
[Expansion of an existing structure on a lot recorded after 8/1/96					
	Project, other than a single family house or public project, where the applicant owned the lot before 8/7/96					
	New agriculture or aquaculture project					
E	Public project where funds were appropriated prior to 8/7/96					
	Project on a lot shown on an approved, definitive subdivision plan where there is a recorded dee restriction limiting total alteration of the Riverfront Area for the entire subdivision					
	Residential subdivision; institutional, industrial, or commercial project					
	Municipal project					
Σ	District, county, state, or federal government project					
Σ	Project required to evaluate off-site alternatives in more than one municipality in an Environmental Impact Report under MEPA or in an alternatives analysis pursuant to an application for a 404 permit from the U.S. Army Corps of Engineers or 401 Water Quality Certification from the Department of Environmental Protection.					
b. at	Provide evidence (e.g., record of date subdivision lot was recorded) supporting the classification bove (use additional paper and/or attach appropriate documents, if necessary.)					
Si ea <u>rir</u>	ee MassMapper Maps provided and photographs. Additional Material may be provided at Public					
earir	ng.					



			٠	
Lee		-		
City/To	WIT		ماسطيا	

WPA Form 1- Request for Determination of Applicability

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

D. Signatures and Submittal Requirements

I hereby certify under the penalties of perjury that the foregoing Request for Determination of Applicability and accompanying plans, documents, and supporting data are true and complete to the best of my knowledge.

I further certify that the property owner, if different from the applicant, and the appropriate DEP Regional Office were sent a complete copy of this Request (including all appropriate documentation) simultaneously with the submittal of this Request to the Conservation Commission.

Failure by the applicant to send copies in a timely manner may result in dismissal of the Request for Determination of Applicability.

General Electric Company (Alex	Molled to, C/O to the
Name	Mailed to: C/O Mathew Calacone Global Operations Health & Safet
5 Necco St	•
Mailing Address	1 Plastics Ave.
Boston	Difference MA 04204
City/Town	Pillsfield, MA 01201
MA	02004
State	02201 Zip Code
Signatures:	
also understand that notification of accordance with Section 10.05(3)	this Request will be placed in a local newspaper at my expense (b)(1) of the Wetlands Protection Act regulations. 40 Oate




Figure 1. Map 2 & Lot 4D




Figure 2. USGS Topographical Map.




Figure 3. ACEC & Wetlands

- DEP Wetlands Detailed With Outlines
- Shallow Marsh Meadow or Fen
- E Shrub Swamp
- Tidal Flat
- Wooded Swamp Coniferous
- Wooded Swamp Deciduous
- Wooded Swamp Mixed Trees

- Areas of Critical Environmental
 Concern ACECs Transparent
 Green
- DEP Wetlands Hydrologic
 Connections




Figure 4. Soils, BVW, Open Water, ACEC.

4 of 6 | Page




Photograph 3. BVW view to south and west of Woodland Rd.



Photograph 4. BVW water flows into depression then disappears into subterrain (karst bedrock crack or cave).



Photograph 1. West of Woodland Rd.



Photograph 2. View to east towards Woodland Rd.

Exhibit 14



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

New England Region Five Post Office Square -- Suite 100 Boston, Massachusetts 02109-3912

November 18, 2022

Cristóbal Bonifaz, Esq.
Attorney for the Town of Lee Board of Health
Law Office of Cristóbal Bonifaz
180 Maple Street
Conway, Massachusetts 01341

Re:

GE-Pittsfield/Housatonic River Site/Rest of River Adjudicatory Hearing of the Town of Lee Board of Health

Dear Attorney Bonifaz:

This letter responds to the letter dated November 9, 2022 (the "Letter") that the Town of Lee Agricultural Commission (the "Commission") sent to the Town of Lee Board of Health ("BOH") regarding the Upland Disposal Facility ("UDF") to be constructed near Woods Pond to facilitate the cleanup of the Housatonic River. At the Commission's request, EPA gave the Commission a tour of the UDF on October 4. The Letter states that the Commission asked certain questions of EPA that were not answered. Even though EPA has already responded to these questions, a response to these questions is noted below.

1. Details regarding of Dewatering

The sediment and floodplain soil that will be disposed of at the UDF will need to be dewatered. This may be at the point of generation, adjacent to the UDF, or within the UDF itself. The method for the treatment/disposition of the collected water may vary and has not yet been determined. Specifics regarding dewatering is a design detail that it not yet final. GE will be providing details on dewatering in subsequent design documents, such as design documents for each area of remediation and the final design for the UDF.

2. Need for Wetland Permits

The Commission wondered how EPA could obtain a wetland permit without providing certain information. Under the Superfund law, EPA is not required to apply for or obtain

Cristóbal Bonifaz, Esq. Page 2 of 2

permits but complies with the substance of environmental regulations. For more information see the attached letter to the Town of Lee Conservation Commission, dated May 9, 2022.

3. An Alleged Change in EPA's Position on the Suitability of the UDF

The Commission asked why EPA changed its mind on the suitability of the UDF when it previously determined that the UDF area was not suitable in 2016. As described in our prior letters to the BOH, EPA refers the BOH to the Administrative Record for the 2020 Cleanup Permit, in particular EPA's 2020 Response to Comments, and Section III.B of EPA's Response Brief that it filed with EPA's Environmental Appeals Board in 2021.

4. Water Table Elevations

The Commission asked about the elevation of the water table. Preliminary groundwater elevation data can be found in Table 15-8 of GE's recent October 2022 Monthly Report available on the EPA web site and at following October 2022 Monthly Report or at https://semspub.epa.gov/work/01/668972.pdf. This data has not been fully evaluated and is preliminary.

Although we do not address the Commission's characterization of the tour of the UDF, we strongly disagree with it.

We remain committed to coordinating with all of the municipalities during the planning and implementation of the River cleanup. Please let me know if you have any further questions.

Sincerely,

JOHN KILBORN VILBORN Date: 2022.11.18 11:00:48 -05'00'

John Kilborn
Senior Enforcement Counsel
Office of Regional Counsel

Cc: Bryan Olson, EPA
Dean Tagliaferro, EPA
Rich Fisher, EPA
Chris Ferry, Superfund Records Center



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 1

FIVE POST OFFICE SQUARE, SUITE 100 BOSTON, MA 02109-3912

Via Email: concom@town.lee.ma.us

May 9, 2022

Kathy Arment, Chair Town of Lee Conservation Commission 32 Main Street Lee, Massachusetts 02138

Re:

GE-Pittsfield/Housatonic River Site/Request for Determination of Applicability Land by Woodlawn and Willow Hill Roads

Dear Ms. Arment:

We are writing to you as Chair of the Conservation Commission of the Town of Lee. It has come to our attention that the Commission has received a Request for Determination of Applicability for a parcel of land located by Woodlawn and Willow Hill Roads, shown as Lot 4D on Assessor's Map 2. A copy of this request is attached. The General Electric Company owns this property, which is the location of an Upland Disposal Facility ("UDF") to be constructed as part of the Rest of River cleanup for GE-Pittsfield/Housatonic River Site (the "Site"). The UDF will receive and safely store sediments and soils from the cleanup of the Housatonic River.

Please be aware that the remediation of the Site is being conducted pursuant to the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), also known as the federal Superfund law. Pursuant to CERCLA and its implementing regulations (the National Contingency Plan), no federal, state, or local permit is required for any portion of a response action conducted entirely on-site, where such response action is selected and carried out in accordance with CERCLA. See Section 121(e) of CERCLA and 40 C.F.R. Section 300.400(e). The Rest of River cleanup, including the Upland Disposal Facility, is being conducted entirely on-site as defined under CERCLA and the NCP. Thus, neither GE nor EPA are required to apply for or obtain approval from the Conservation Commission or obtain a permit or Order of Conditions under the Massachusetts Wetlands Protection Act.

Although EPA is not required to obtain permits for on-site response actions, under CERCLA EPA is required to meet the substantive provisions of permitting regulations that EPA determines are applicable or relevant and appropriate requirements, known as ARARs. EPA has determined that the Massachusetts Wetlands Protection Act ("WPA") and its regulations are an "ARAR" for the Rest of River. Accordingly, any part of the cleanup that removes, dredges, fills, or alters

banks, riverfront areas, wetlands, and other areas must be conducted in accordance with the substantive requirements of the WPA and its regulations. See Attachment C, Page C-9, to GE's December 2020 Cleanup Permit. Likewise, the Rest of River cleanup must also comply with the substantive provisions of the Massachusetts Clean Water Act Water Quality Certification Regulations. See Attachment C, Page C-7, to GE's December 2020 Cleanup Permit. The 2020 Cleanup Permit can be found at semspub.epa.gov/src/collection/01/SC39714. (Search for Document ID 593921.)

Under the December 2020 Cleanup Permit that EPA issued to GE, GE is required to perform investigations necessary for designing the UDF, including a baseline habitat assessment. GE submitted a Work Plan for these investigations and assessments that EPA approved with certain conditions. See GE's *Pre-Design Investigation Work Plan for Upland Disposal Facility*, dated November 2021 (Section 5.2.1 in particular), as conditionally approved by an EPA letter dated February 25, 2022. Thus, for Lot D, GE is required to delineate areas subject to jurisdiction under the WPA, such as wetlands (including vernal pools) and flooded areas. EPA has confirmed with GE that GE is conducting field surveys to assess the presence, limits, and characteristics of all potential WPA jurisdictional resource areas at the UDF. GE is also required to perform habitat, threatened or endangered species, and invasive species evaluations, including document reviews and field surveys. GE has already begun to perform such delineations and evaluations and will be submitting a report by in approximately seven months. Please be aware that EPA and its contractor are actively overseeing GE's work in this regard, including being present during GE's field surveys.

EPA has closely consulted with the Town Administrator of the Town of Lee and with MassDEP, who reviews and comments on GE's submissions, and will continue to do so.

Please let me know if you would like to discuss this matter or if you have any further questions.

Sincerely,

RICHARD FISHER Digitally signed by RICHARD FISHER Date: 2022.05.09 16:02:23

-04'00'

Richard Fisher

Remedial Project Manager

EPA New England

Enclosure

Cc: Patr

Patricia Carlino, Chair, Town of Lee Selectboard R. Christopher Brittain, Town Administrator, Town of Lee Dean Tagliaferro, EPA John Kilborn, EPA Matt Calacone, GE

10 Citizens of Lee Request a Request of Determination For General Electric Company Land Fill

4-27-2022 Map 2 Lot 4D Woodland & Willow Hill Rd

We the undersigned are submitting a Request for Determination Application for the above referenced site. We are requesting the Lee Conservation Commission to hold a Public Hearing at within 21 days of receipt of this request. We ask that the Commission require General Electric Company to identify resources Protected under the Massachusetts Wetland Protection Act under 310 CMR 10.00. Please include wetland resources and habitat that have been recently impacted or altered. Refer to Mass Mapper Aerial Photographs.

We request the Lee Conservation Commission require GE to provide a plan clearly showing resource boundaries, with benchmarks and survey points, and to require GE to a Notice of Intent should the Landfill proposed be near or in these resources.

- Plans clearly showing jurisdictional resources and buffer zones regulated under 310 CMR 10.00 and their boundaries (including but not limited to), and how the regulations performance standards will be met for the Land Fill Project Proposed by EPA & GE:
 - a. 10: 54 Bank.
 - b. 10:55 Bordering Vegetated Wetlands (BVW).
 - c. 10.56: Land under Water Bodies and Waterways, (LUW), (under any Creek, River, Stream, Pond or Lake).
 - d. 10: 57 Land Subject to Flooding, {Isolated, and Bordering.(Flood plain)}.
 - e. 10:58 Riverfront (RF).
 - f. 10.59: Estimated Habitats of Rare Wildlife (for Inland Wetlands).
 - g. 10:60 Wildlife Habitat Evaluation.

1	Signature	Address or email	Date
2	Hail & Ceresia	GECTRESIA Ogmail . com	
3	Jance Brain	Shroim 2 rochromer. Com	4-27-2-27
4	(Com Cato gom	Sorley 1313 GT Hamilton	4-27-2012
5	Ami Caslogra	111 WOOMAID RT	4/27/20
5	Diole V	153 wishington Man Rd	1/27/22
7	1 water Kingson	183 Washington Num. Rd.	4/27/22
8	James Camreson	1910 Gas 154	47/27
)	The state Bym	189 Reservoir Rd Lee Ma	4/17/22
10	211 A Drune	181 Brally St	4/27/22
1	cum to puple	220 EAST St. Lee, MA	4/27/22
2			

Attachments :	Maps .	& Photograp	hs
---------------	--------	-------------	----

CC.

Hand Delivered to Lee Conservation Commission. Certified Mail to Owner.



Lee City/Town

WPA Form 1- Request for Determination of Applicability Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

	Δ	. General Information		
Important:				
When filling out	1.	Applicant:		
forms on the		Gall Ceresia 1 of (10 Citizens of Lee)	ansarosis#	Banail ásis
computer, use only the tab key		Name	E-Mail Address	Dgmail.com
o move your		161 West Park St		-
cursor - do not		Mailing Address		Marine, 1997
use the return key.		Lee City/Town	MA	01238
		413-237-Led5577	State	Zip Code
		Phone Number		
* 6	_		Fax Number (il	applicable)
	2.	Representative (if any):		
		Film		
		Contact Name	E-Mail Address	
		Mailing Address		
		City/Town	State	Zip Code
		Phone Number	Fax Number (if	applicable}
	В.	Determinations		***************************************
	14,	request the Lee make the following	determination(s)). Check any that apply
		 a. whether the area depicted on plan(s) and/or map(s) ref jurisdiction of the Wetlands Protection Act. 	erenced below i	s an area subject to
		b. whether the boundaries of resource area(s) depicted of below are accurately delineated.	n plan(s) and/or	map(s) referenced
		C. whether the work depicted on plan(s) referenced below	is subject to the '	Wetlands Protection Act
		d. whether the area and/or work depicted on plan(s) refere of any municipal wetlands ordinance or bylaw of:		
		Name of Municipality		
		e. whether the following scope of alternatives is adequat depicted on referenced plan(s).	e for work in the	Riverfront Area as



Lee City/Town

WPA Form 1- Request for Determination of Applicability Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

51	Vest of Woodland Rd & area north of Willow Hill Rd reet Address lap 2	Lee City/Town					
As	iseasora Map/Piet Number	4D Percel/Lat Number					
		, present unital					
	b. Area Description (use additional paper, if necessary):						
ev	Area west of Woodland Road and north of Lot 5 consists of a Massachusetts Bordering Vegetated Wetland. The 10 Citizens would like the area to be delineated by GE personal and Habitat to be evaluated. Applicant would like records of Environmental Consultants who review this portion of the property.						
		nanda massamus valina dan sambandaydi da					
	Plan and/or Map Reference(s):						
US	ISGS Topographical Map		4-20-2022				
*	EP Juridictional Resources and ACEC		Date 4-20-2022 Diste 4-20-2022				
FAH	t Taribandia Nesocices 8/10 ACEC	_					
	ap and Lot Parcel						
Ma	Paris see I didei						
Title		le plan(s) of work, if ne	Date				
Title a. Pro area	Work Description (use additional paper and/or provided population of the pr	nt of Massachusetts Ju	Date ecessary): irisdictional Wetland				
Title 8. Pro area	Work Description (use additional paper and/or provide phosed PCB Dump and Dewatering area is up-gradied a plus near an area that was recently phoses.	nt of Massachusetts Ju	Date ecessary): irisdictional Wetland				
Title a. Pro area	Work Description (use additional paper and/or provide phosed PCB Dump and Dewatering area is up-gradied a plus near an area that was recently phoses.	nt of Massachusetts Ju	Date ecessary): irisdictional Wetland				
Title a. Pro area	Work Description (use additional paper and/or provide phosed PCB Dump and Dewatering area is up-gradied a plus near an area that was recently phoses.	nt of Massachusetts Ju	Date ecessary): irisdictional Wetland				



Lee City/Town

WPA Form 1- Request for Determination of Applicability
Massachusetts Wetlands Protection Act M.C.L. a. 484, 846

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40 C. Project Description (cont.) b. Identify provisions of the Wetlands Protection Act or regulations which may exempt the applicant from having to file a Notice of Intent for all or part of the described work (use additional paper, if necessary). 3. a. If this application is a Request for Determination of Scope of Alternatives for work in the Riverfront Area, indicate the one classification below that best describes the project. Single family house on a lot recorded on or before 8/1/96 ☐ Single family house on a lot recorded after 8/1/96 Expansion of an existing structure on a lot recorded after 8/1/96 Project, other than a single family house or public project, where the applicant owned the lot before 8/7/96 New agriculture or aquaculture project Public project where funds were appropriated prior to 8/7/96 Project on a lot shown on an approved, definitive subdivision plan where there is a recorded deed restriction fimiting total alteration of the Riverfront Area for the entire subdivision Residential subdivision; institutional, industrial, or commercial project Municipal project District, county, state, or federal government project Project required to evaluate off-site alternatives in more than one municipality in an Environmental Impact Report under MEPA or in an alternatives analysis pursuant to an application for a 404 permit from the U.S. Army Corps of Engineers or 401 Water Quality Certification from the Department of Environmental Protection. b. Provide evidence (e.g., record of date subdivision lot was recorded) supporting the classification above (use additional paper and/or attach appropriate documents, if necessary.) See MassMapper Maps provided and photographs. Additional Material may be provided at Public



Lee City/Town

WPA Form 1- Request for Determination of Applicability Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

D. Signatures and Submittal Requirements

I hereby certify under the penalties of perjury that the foregoing Request for Determination of Applicability and accompanying plans, documents, and supporting data are true and complete to the best of my knowledge.

I further certify that the property owner, if different from the applicant, and the appropriate DEP Regional Office were sent a complete copy of this Request (including all appropriate documentation) simultaneously with the submittal of this Request to the Conservation Commission.

Failure by the applicant to send copies in a timely manner may result in dismissal of the Request for Determination of Applicability.

Name and address of the property owner:

General Electric Company /Also Mailed to: C/O Mathew Calacone Global Operations Health & Safety

5 Necco St

Mailing Address

Boston

City/Town

MA

State

Pillsfield, MA 01201

20201

Zip Code

Signatures:

Signatures:

I also understand that notification of this Request will be placed in a local newspaper at my expense in accordance with Section 10.05(3)(b)(1) of the Wetlands Protection Act regulations.

Signature of Applicant

Signature of Representative (if any)

Date




Figure 1. Map 2 & Lot 4D




Figure 2. USGS Topographical Map.




Figure 3. ACEC & Wetlands

- DEP Wetlands Detailed With Outlines
- ☐ Shallow Marsh Meadow or Fen
- E Shrub Swamp
- Tidal Flat
- Wooded Swamp Coniferous
- 10 Wooded Swamp Deciduous
- Wooded Swamp Mixed Trees

Areas of Critical Environmental
Concern ACECs Transparent
Green

DEP Wetlands Hydrologic Connections

FEMA National Flood Hazard Layer DEP 2005 Human Allered Areas

Stells Outbres

Areas of Chical Environmental Concern ACECs DEP Wellands Delaided With Cultivies

35.0

100

the arrest of the state of the

Table of the state of the state

the part of the control of the contr

Property Tax Parcels

2 121

29

MassMapper tester vancis

1

Figure 4. Soils, BVW, Open Water, ACEC.

40f6|Pugg




Photograph 3. BVW view to south and west of Woodland Rd.



Photograph 4. BVW water flows into depression then disappears into subterrain (karst bedrock crack or cave).



Photograph 1. West of Woodland Rd.



Photograph 2. View to east towards Woodland Rd.

Exhibit 14



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY New England Region

Five Post Office Square -- Suite 100 Boston, Massachusetts 02109-3912

November 18, 2022

Cristóbal Bonifaz, Esq.
Attorney for the Town of Lee Board of Health
Law Office of Cristóbal Bonifaz
180 Maple Street
Conway, Massachusetts 01341

Re:

GE-Pittsfield/Housatonic River Site/Rest of River Adjudicatory Hearing of the Town of Lee Board of Health

Dear Attorney Bonifaz:

This letter responds to the letter dated November 9, 2022 (the "Letter") that the Town of Lee Agricultural Commission (the "Commission") sent to the Town of Lee Board of Health ("BOH") regarding the Upland Disposal Facility ("UDF") to be constructed near Woods Pond to facilitate the cleanup of the Housatonic River. At the Commission's request, EPA gave the Commission a tour of the UDF on October 4. The Letter states that the Commission asked certain questions of EPA that were not answered. Even though EPA has already responded to these questions, a response to these questions is noted below.

1. Details regarding of Dewatering

The sediment and floodplain soil that will be disposed of at the UDF will need to be dewatered. This may be at the point of generation, adjacent to the UDF, or within the UDF itself. The method for the treatment/disposition of the collected water may vary and has not yet been determined. Specifics regarding dewatering is a design detail that it not yet final. GE will be providing details on dewatering in subsequent design documents, such as design documents for each area of remediation and the final design for the UDF.

2. Need for Wetland Permits

The Commission wondered how EPA could obtain a wetland permit without providing certain information. Under the Superfund law, EPA is not required to apply for or obtain

Cristobal Bonifaz, Esq. Page 2 of 2

permits but complies with the substance of environmental regulations. For more information see the attached letter to the Town of Lee Conservation Commission, dated May 9, 2022.

3. An Alleged Change in EPA's Position on the Suitability of the UDF

The Commission asked why EPA changed its mind on the suitability of the UDF when it previously determined that the UDF area was not suitable in 2016. As described in our prior letters to the BOH, EPA refers the BOH to the Administrative Record for the 2020 Cleanup Permit, in particular EPA's 2020 Response to Comments, and Section III.B of EPA's Response Brief that it filed with EPA's Environmental Appeals Board in 2021.

4. Water Table Elevations

The Commission asked about the elevation of the water table. Preliminary groundwater elevation data can be found in Table 15-8 of GE's recent October 2022 Monthly Report available on the EPA web site and at following October 2022 Monthly Report or at https://semspub.epa.gov/work/01/668972.pdf. This data has not been fully evaluated and is preliminary.

Although we do not address the Commission's characterization of the tour of the UDF, we strongly disagree with it.

We remain committed to coordinating with all of the municipalities during the planning and implementation of the River cleanup. Please let me know if you have any further questions.

Sincerely,

JOHN KILBORN Date: 2022.11.18 11:00:48-05'00'

John Kilborn
Senior Enforcement Counsel
Office of Regional Counsel

Cc: Bryan Olson, EPA
Dean Tagliaferro, EPA
Rich Fisher, EPA
Chris Ferry, Superfund Records Center



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 1

FIVE POST OFFICE SQUARE, SUITE 100 BOSTON, MA 02109-3912

Via Email: concom@town.lee.ma.us

May 9, 2022

Kathy Arment, Chair Town of Lee Conservation Commission 32 Main Street Lee, Massachusetts 02138

Re:

GE-Pittsfield/Housatonic River Site/Request for Determination of Applicability Land by Woodlawn and Willow Hill Roads

Dear Ms. Arment:

We are writing to you as Chair of the Conservation Commission of the Town of Lee. It has come to our attention that the Commission has received a Request for Determination of Applicability for a parcel of land located by Woodlawn and Willow Hill Roads, shown as Lot 4D on Assessor's Map 2. A copy of this request is attached. The General Electric Company owns this property, which is the location of an Upland Disposal Facility ("UDF") to be constructed as part of the Rest of River cleanup for GE-Pittsfield/Housatonic River Site (the "Site"). The UDF will receive and safely store sediments and soils from the cleanup of the Housatonic River.

Please be aware that the remediation of the Site is being conducted pursuant to the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), also known as the federal Superfund law. Pursuant to CERCLA and its implementing regulations (the National Contingency Plan), no federal, state, or local permit is required for any portion of a response action conducted entirely on-site, where such response action is selected and carried out in accordance with CERCLA. See Section 121(e) of CERCLA and 40 C.F.R. Section 300.400(e). The Rest of River cleanup, including the Upland Disposal Facility, is being conducted entirely on-site as defined under CERCLA and the NCP. Thus, neither GE nor EPA are required to apply for or obtain approval from the Conservation Commission or obtain a permit or Order of Conditions under the Massachusetts Wetlands Protection Act.

Although EPA is not required to obtain permits for on-site response actions, under CERCLA EPA is required to meet the substantive provisions of permitting regulations that EPA determines are applicable or relevant and appropriate requirements, known as ARARs. EPA has determined that the Massachusetts Wetlands Protection Act ("WPA") and its regulations are an "ARAR" for the Rest of River. Accordingly, any part of the cleanup that removes, dredges, fills, or alters

banks, riverfront areas, wetlands, and other areas must be conducted in accordance with the substantive requirements of the WPA and its regulations. See Attachment C, Page C-9, to GE's December 2020 Cleanup Permit. Likewise, the Rest of River cleanup must also comply with the substantive provisions of the Massachusetts Clean Water Act Water Quality Certification Regulations. See Attachment C, Page C-7, to GE's December 2020 Cleanup Permit. The 2020 Cleanup Permit can be found at semspub.epa.gov/src/collection/01/SC39714. (Search for Document ID 593921.)

Under the December 2020 Cleanup Permit that EPA issued to GE, GE is required to perform investigations necessary for designing the UDF, including a baseline habitat assessment. GE submitted a Work Plan for these investigations and assessments that EPA approved with certain conditions. See GE's Pre-Design Investigation Work Plan for Upland Disposal Facility, dated November 2021 (Section 5.2.1 in particular), as conditionally approved by an EPA letter dated February 25, 2022. Thus, for Lot D, GE is required to delineate areas subject to jurisdiction under the WPA, such as wetlands (including vernal pools) and flooded areas. EPA has confirmed with GE that GE is conducting field surveys to assess the presence, limits, and characteristics of all potential WPA jurisdictional resource areas at the UDF. GE is also required to perform habitat, threatened or endangered species, and invasive species evaluations, including document reviews and field surveys. GE has already begun to perform such delineations and evaluations and will be submitting a report by in approximately seven months. Please be aware that EPA and its contractor are actively overseeing GE's work in this regard, including being present during GE's field surveys.

EPA has closely consulted with the Town Administrator of the Town of Lee and with MassDEP, who reviews and comments on GE's submissions, and will continue to do so.

Please let me know if you would like to discuss this matter or if you have any further questions.

Sincerely,

FISHER

RICHARD

Digitally signed by RICHARD FISHER Date: 2022.05.09 16:02:23

Richard Fisher

Remedial Project Manager

EPA New England

Enclosure

Cc:

Patricia Carlino, Chair, Town of Lee Selectboard R. Christopher Brittain, Town Administrator, Town of Lee Dean Tagliaferro, EPA John Kilborn, EPA

Matt Calacone, GE

10 Citizens of Lee Request a Request of Determination For General Electric Company Land Fill

4-27-2022 Map 2 Lot 4D Woodland & Willow Hill Rd

We the undersigned are submitting a Request for Determination Application for the above referenced site. We are requesting the Lee Conservation Commission to hold a Public Hearing at within 21 days of receipt of this request. We ask that the Commission require General Electric Company to identify resources Protected under the Massachusetts Wetland Protection Act under 310 CMR 10.00. Please include wetland resources and habitat that have been recently impacted or altered. Refer to Mass Mapper Aerial Photographs.

We request the Lee Conservation Commission require GE to provide a plan clearly showing resource boundaries, with benchmarks and survey points, and to require GE to a Notice of Intent should the Landfill proposed be near or in these resources.

- Plans clearly showing jurisdictional resources and buffer zones regulated under 310 CMR 10.00 and their boundaries (including but not limited to), and how the regulations performance standards will be met for the Land Fill Project Proposed by EPA & GE:
 - a. 10: 54 Bank.
 - b. 10:55 Bordering Vegetated Wetlands (BVW).
 - 10.56: Land under Water Bodies and Waterways, (LUW), (under any Creek, River, Stream, Pond or Lake).
 - d. 10: 57 Land Subject to Flooding, {Isolated, and Bordering.(Flood plain)}.
 - e. 10:58 Riverfront (RF).
 - f. 10.59: Estimated Habitats of Rare Wildlife (for Inland Wetlands).
 - g. 10:60 Wildlife Habitat Evaluation.

	Signature	Address or email	Date
1	Gail & Ceresia	GECTRESIA Qgmail . com	4 27 202
2	Jance Bian	Shroim 2 Mochromer- Com	4-27-2-27
3	Olan Cilian	//	4/-27-2:12
4	Ami Castogras	Sistey. 1313 God Hormolom	11/27/
5	On for the		4/2/10
6	nucle Kouppe	183 Washington 14th. Rd.	1/27/2
7	De OPara	199 (and com. R.D.	42122
8	On m Liden In	1250 - 01 1 10	4 2/
9	ON I ON	189 Reservoir Rd Lee Me	4/17/22
10	211 of Line	181 Brilly St.	4/27/22
11	Cuen T. Jupla	220 EAST St. Lee, MA	4/27/22
12			

Attachments: Maps & Photographs

CC.

Hand Delivered to Lee Conservation Commission. Certified Mail to Owner.



Lee City/Town

WPA Form 1- Request for Determination of Applicability Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

	Ā	. General Information				
important: When filling out		Applicant:				
forms on the		Gall Ceresia 1 of (10 Citizens of Lee) geograpid com				
computer, use only the tab key		Name	geceresia@gr E-Mall Address	nan,com		
to move your		161 West Park St				
cursor - do not use the return		Mailing Address	-			
key.		City/Town	MA	01238		
8		413-237-Led5577	State	Zip Code		
Alm		Phone Number	Fax Number (if applicable)			
	2.	Representative (if any):		,		
		Firm				
		Contact Name	E-Mail Address			
		Mailing Address				
		City/Town	State	Zip Gode		
		Phone Number	Fax Number (if app	licable)		
	В.	Determinations				
	1	I request the Lee make the following d	etermination(s). C	theck any that apply		
		a. whether the area depicted on plan(s) and/or map(s) referenced below is an area subject to jurisdiction of the Wetlands Protection Act.				
		 b. whether the boundaries of resource area(s) depicted on plan(s) and/or map(s) referenced below are accurately defineated. 				
		c. whether the work depicted on plan(s) referenced below is subject to the Wetlands Protection Ac				
		d. whether the area and/or work depicted on plan(s) referenced below is subject to the jurisdiction of any municipal wetlands ordinance or bylaw of:				
		Name of Municipality				
		e. whether the following scope of alternatives is adequate for work in the Riverfront Area as depicted on referenced plan(s).				



Massachusetts Department of Environmental Protection Bureau of Resource Protection - Wetlands

Lee City/Town

WPA Form 1- Request for Determination of Applicability Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

-					
C.	Proi	ect C	Decr	intio	373

West of Woodland Rd & area north of Willow Hill Rd Street Address	Lee		
	City/Town 4D Parcel/Lot Number		
Map 2 Assessors Map/Plat Number			
b. Area Description (use additional paper, if necessary	sts of a Massachusetts Bordering Vegetate		
Area west of Woodland Road and north of Lot 5 consis Wetland. The 10 Citizens would like the area to be delinevaluated. Applicant would like records of Environment properly.			
c. Plan and/or Map Reference(s):			
USGS Topographical Map	4-20-2022		
DEP Juridictional Resources and ACEC	Date		
File	4-20-2022 Date		
Map and Lot Parcel	4-20-2022		
Map and Lot Parcel Title	4-20-2022 Date		
Map and Lot Parcel Title a. Work Description (use additional paper and/or provi	4-20-2022 Date de plan(s) of work, if necessary):		
Map and Lot Parcel Title a. Work Description (use additional paper and/or provi Proposed PCB Dump and Dewatering area is up-gradie area plus near an area that was recently shown as Onco	4-20-2022 Date de plan(s) of work, if necessary): nt of Massachusetts Jurisdictional Wetlan		
Map and Lot Parcel Title a. Work Description (use additional paper and/or provi	4-20-2022 Date de plan(s) of work, if necessary): nt of Massachusetts Jurisdictional Wetlan		
Map and Lot Parcel Title a. Work Description (use additional paper and/or provi Proposed PCB Dump and Dewatering area is up-gradie area plus near an area that was recently shown as Onco	4-20-2022 Date de plan(s) of work, if necessary): nt of Massachusetts Jurisdictional Wetlan		
Map and Lot Parcel Title a. Work Description (use additional paper and/or provi Proposed PCB Dump and Dewatering area is up-gradie area plus near an area that was recently shown as Onco	4-20-2022 Date de plan(s) of work, if necessary): nt of Massachusetts Jurisdictional Wetlan		



Massachusetts Department of Environmental Protection Bureau of Resource Protection - Wetlands

Lee City/Town

WPA Form 1- Request for Determination of Applicability Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

C.	P	roject Description (cont.)			
	 b. Identify provisions of the Wetlands Protection Act or regulations which may exempt the application having to file a Notice of Intent for all or part of the described work (use additional paper) if necessary). 				
	_				
3.	a. Riv	If this application is a Request for Determination of Scope of Alternatives for work in the refront Area, indicate the one classification below that best describes the project.			
		Single family house on a lot recorded on or before 8/1/96			
		Single family house on a lot recorded after 8/1/96			
		Expansion of an existing structure on a lot recorded after 8/1/96			
		Project, other than a single family house or public project, where the applicant owned the lot before 8/7/96			
		New agriculture or aquaculture project			
		Public project where funds were appropriated prior to 8/7/96			
		Project on a lot shown on an approved, definitive subdivision plan where there is a recorded deed restriction limiting total alteration of the Riverfront Area for the entire subdivision			
		Residential subdivision; institutional, industrial, or commercial project			
		Muñicipal project			
	Ø	District, county, state, or federal government project			
	×	Project required to evaluate off-site alternatives in more than one municipality in an Environmental Impact Report under MEPA or in an alternatives analysis pursuant to an application for a 404 permit from the U.S. Army Corps of Engineers or 401 Water Quality Certification from the Department of Environmental Protection.			
	b. abo	Provide evidence (a.g., record of date subdivision lot was recorded) supporting the classification we (use additional paper and/or attach appropriate documents, if necessary.)			
-lea	See ring	MassMapper Maps provided and photographs. Additional Material may be provided at Public			



Massachusetts Department of Environmental Protection Bureau of Resource Protection - Wetlands

Lee City/Town

WPA Form 1- Request for Determination of Applicability

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

D. Signatures and Submittal Requirements

I hereby certify under the penalties of perjury that the foregoing Request for Determination of Applicability and accompanying plans, documents, and supporting data are true and complete to the best of my knowledge.

I further certify that the property owner, if different from the applicant, and the appropriate DEP Regional Office were sent a complete copy of this Request (including all appropriate documentation) simultaneously with the submittal of this Request to the Conservation Commission.


Failure by the applicant to send copies in a timely manner may result in dismissal of the Request for Determination of Applicability.

Name and address of the property owner: General Electric Company /Also Mailed to: C/O Mathew Calacone Global Operations Health & Safety Name 5 Necco St 1 Plastics Ave. Mailing Address Boston Pittsfield, MA 01201 City/Town MA 02201 State Zip Code

Signatures:

i also understand that notification of this Request will be in accordance with Section 10.05(3)(b)(1) of the Wetland	placed in a local newspaper at my expense
Of the decision of the vestiging	-
Hail & Cerajia	4-27-2027

alling on Mehidenit	Oate
Signature of Representative (if any)	Date



1 of 6 |




Figure 2. USGS Topographical Map.




Figure 3. ACEC & Wetlands

- DEP Wetlands Detailed With Outlines
- Shallow Marsh Meadow or Fen
- E Shrub Swamp
- ☐ Tidal Flat
- **Wooded Swamp Coniferous**
- 1 Wooded Swamp Deciduous
- Wooded Swamp Mixed Trees

- Areas of Critical Environmental
 Concern ACECs Transparent
 Green
- DEP Wetlands Hydrologic
 Connections

DEP Wellands Organal Lubels

FEMA National Flood Hazard Layer DEP 2005 Humant Allence Areas

Stills Outhnes

Areas of Critical Environmental Concern. ACECs

10

DEP Weltunds Deladed With Outsries

(a) to the party on property of the party of

Controllers of the controllers o

122

Property fax Parcels

Figure 4. Soils, BVW, Open Water, ACEC.

=

4 of 6 | Page




Photograph 3. BVW view to south and west of Woodland Rd.



Photograph 4. BVW water flows into depression then disappears into subterrain (karst bedrock crack or cave).



Photograph 1. West of Woodland Rd.



Photograph 2. View to east towards Woodland Rd.

Jim Wilusz

From:

Kilborn, John < Kilborn, John@epa.gov> Thursday, November 17, 2022 8:52 AM

Sent: To:

Cristobal Bonifaz; Jim Wilusz; Robert Wespiser

Subject:

RE: Attachment

Cristobal:

EPA is preparing a response. Thanks for letting us know about the letter.

John

John W. Kilborn Senior Enforcement Counsel U.S. Environmental Protection Agency Five Post Office Square, Suite 100 (Mail Code: 04-3) Boston, MA 02109-3912

Tel: 617-918-1893

E-Mail: kilborn.john@epa.gov

From: Cristobal Bonifaz <ccrbonifaz@icloud.com>
Sent: Tuesday, November 15, 2022 8:37 AM
To: Kilborn, John <Kilborn.John@epa.gov>; Jim Wilusz <Jim@tritownhealth.org>; Robert Wespiser <rwespiser@gmail.com>
Subject: Attachment

John: The Lee Board of Health received the attached communication this morning. Would EPA like to comment. ? Cristobal

Sent from my iPhone

Jim Wilusz

From:

Cristobal Bonifaz <ccrbonifaz@icloud.com>

Sent:

Thursday, November 17, 2022 7:32 PM

To:

Jim Wilusz; Robert Wespiser

Subject:

Possible Wetlands

Attachments:

SKM_C22722111507560.pdf

The Conservation Commission has jurisdiction over wetlands. If they want to allow or not allow the UDF on the basis of existence of wetlands they should do whatever they need to do. They should have raised their concerns with GE and EPA not the LBOH. I sent the letter to Kilborn. I did not think he would bother with it but he sent a response saying that EPA will respond. We can file it an Exhibit 14 but we cannot accept wetland experts to this hearing. It will only look to anyone that we are not serious just searching for straws. On another matter in case Caroenter testifies I will have a series of questions. Cristobal

Sent from my iPhone

Town of Lee Agricultural Commission 32 Main St. Lee, MA 01238

> Mary Brittain, Chair David Carrington Gail Ceresia Peter Naventi Caroline Young, Secretary

Town off Lee Board of Health 32 Main St. Lee, MA 01238

November 9, 2022 Dear Board of Health Members:

The Agricultural Commission was given a tour of the proposed PCB dump site on October 4, 2022. The following is a report of that tour:

When the EPA asked us what we were interested in, we told them the quality and condition of water in the area. The best farmland follows the river lowlands from Adams to Connecticut. This is the Ag Com's concern.

Peter Naventi pointed out that the paper mills had very large capacity wells (maybe 3 of them) in the zone. It may be water that is polluted with PCBs. Mary Brittain says that there is public information available about the location of public water supply wells on-line on MassGIS.

After a tour of the site of the proposed dump location, we insisted on touring areas to the north of the site, which Gail Ceresia in her wetland capacity, maintains is wetlands. After this walk, over the objections of the EPA people, only the trainee would walk the area with us, it is clear that this area is wetlands, small streams and wetland vegetation. The land is draining to the west, toward open water bodies that may be natural or that possibly were historically quarried, and all of this water drains back into the Housatonic River.

The EPA showed us the uplands area, but really tried to not show us the wetlands. We insisted, they just had to spend the time on it. They wanted to go home.

We asked EPA about the following;

-Where is dewatering water going? EPA didn't know.

—Gail asked how GE could get a permit without the wetland information when no one else can get a building permit without that information. EPA didn't know.

—After the EPA said the area was not suitable in the 2016 agreement, what has changed so that the EPA is now saying it is suitable? EPA didn't know.

EPA could not tell us where the water table is, though we saw test wells in several places on the property. EPA did not have information about the water table elevations. Overall, the EPA was unable to answer our questions during the tour.

Yours truly:

Caroline Young Secretary

Lee Agricultural Commission

cc: Lee Select Board




Figure 1. This photograph shows a portion of the open water bodies (OWB)located north and down slope from the proposed GE dump site. The OWB water source comes from ground water and October Mountain streams and watershed sheet flow. Intermittent streams and sheet flow are directed through culverts under Woodland Road into an Alder Shrub and Tussock Sedge dominated Shrub Swamp (SS) located west of, and parallel to Woodland Rd. Water drains west through GE property SS and through a Wet Meadow located in the Eversource right away, then through several open water bodies and intermittent streams located on Eurovia Land until it reaches the Housatonic River. Several springs were observed within the SS west of Woodland Rd. One intermittent stream flowed out of the back portion of LB Corporation Land. When the SS is at capacity, the water also flows into a swale located northwest of the swamp until it reaches a point where it disappears into the ground. The disappearance of water is indicative of a crack or fissure in the Carbonate Bedrock documented on this site.



Figure 2. Blue lines represent the approximate location of intermittent streams flowing west from October Mountain through SS and open water bodies until it reaches the Housatonic River. The intermittent stream located northwest of the SS disappears into the ground.

Wetland Report prepared by,

Gail E. Ceresia, Professional Wetland Scientist

Dail & Ceresia

Member of Lee Agricultural Conservation Commission